













# PRODUCTS FOR PV SOLAR MOUNTING APPLICATIONS

#### **CARPORT STRUCTURES**

Residential & Commercial



#### **Solar Carport Canopy Shade Structure**

- High strength, galvanized steel constuction
- · Designs for single or double rows of cars
- 0, 5, and 10-degree tilt options positive or negative
- Shared module clamps up to 50% fewer clamps
- Modular design common components
- Purlin extensions adjust to any width module

#### **ROOF MOUNT SYSTEMS**



#### **POWER MAX™**

- Non-penetrating, ballasted commercial flat roof mounting system
- Three choices: 5° or 10° tilt, dual tilt (East/West), and flush mount
- Stackable, lightweight base easier transport
- Wind tunnel tested and qualified reduces ballast
- Integrated grounding, code compliant
- Preassembled clamp no loose hardware
- Unique, adjustable inter-row spacing for maximum density and layout flexibility







Residential & Commercial



Residential



# Ballasted POWER RAIL™ Mounts (BPRM)

- Non-penetrating, flush mount commercial flat roof system
- Power Rail™ top-clamping system with \*Lock-in-Place RAD™ hardware
- High density, high energy output per square foot
- EPDM rubber (included) protects roof surfaces
- Wind tunnel tested low ballast weight
- · Follows drainage contours of roof
- UL 2703 compliant with integrated grounding

# **P**MER

**P**WER

### **POWER RAIL™ Mounting System (PRM)**

- P4, P6, P8, P14, XD, UD, LD and MD rail options for optimal span-to-cost ratio
- High strength, top-clamping mounting system with \*Lock-in-Place RAD™ hardware
- Parallel to roof, tilted, or open structure applications
- Single tool assembly
- Attachment options for any style roof application or structure
- UL 2703 compliant with integrated grounding



# POWER DISK™ Rail-less Mounting System

- Can be mounted anywhere on the roof or attached directly to rafters
- Works with 60- and 72-cell modules
- Eliminates long rails easier transport
- Landscape or portrait mounting
- · Rotating assembly provides vertical adjustment
- Sealing butyl mastic (included) or optional flashing



#### **GROUND MOUNT SYSTEMS**

Utility-Scale & Commercial



Residential & Commercial



#### POWER PEAK™ GS & AL

- Designed for commercial and large-scale applications featuring fewer components
- Installs over pile driven standard I-Beams
- Tables optimized to specific site requirements
- Field adjustable faster installation
- Features \*Lock-in-Place RAD™ hardware
- UL 2703 compliant with integrated grounding



#### **Multi-Pole Mounts (MPM-G2)**

- Designed to mount on 3" or 4" Schedule 40 or 80 rigid steel pipe (installer supplied)
- Fewer ground penetrations than traditional ground mount systems, saving labor and materials
- Optional ground clearance ideal for shade structures or car ports
- Power Rail™ top-clamping system with \*Lock-in-Place RAD™ hardware
- Seasonal elevation adjustments positive locking brackets

\*Lock-in-Place RAD™ Bolts are patented.

#### **POLE MOUNT SYSTEMS**

Residential & Commercial



Residential & Commercial




#### **Top-of-Pole Mounts (TPM) – Universal (UTPM)**

- Heavy gauge steel and aluminum construction
- Securely mount 1 to 18 modules on a single pole
- Standard module-specific design reduces parts and assembly time
- Universal Top-of-Pole Mount design adapts to most 60-cell modules
- Seasonal elevation adjustments from 15° to 65°
- Mounts on standard Schedule 40 or 80 rigid steel pipe

#### **Side-of-Pole Mounts (SPM)**

- Available in painted steel or mill-finish aluminum construction
- Mounting options include band clamps, U-bolts, or through bolts
- Adjustable tilt angle
- Heavy duty stainless steel mounting hardware
- Tower mounting options available

# **Mounting Hardware Solutions for Any Solar Application**









Global Headquarters 660 Beta Drive Mayfield Village, OH 44143

Telephone: 440.461.5200 Fax: 440.442.8816 Website: preformed.com Email: info@plpsolar.com

© 2020 Preformed Line Products Company Printed in the U.S.A. SL-BR-1003-16 01.20.IH